IFS Powder Coatings

Architectural Color Collection





IFS has a world class range of powder coatings designed to protect and decorate architectural metal to the very highest standards. Our architectural powder coatings are tough, weatherable, and meet and exceed each of the AAMA performance specifications, ensuring every level of exterior durability is available.

The Architectural Color Palette

The IFS Architectural Color Collection showcases just some of the colors available in the IFS range, from classic solid shades, to fine metallics and even anodic styles. We also understand that unique projects need unique colors. With that in mind, the free **IFS Color Matching Service** allows you to get the exact shade you are looking for in an environmentally responsible, durable coating. We will analyze the shade using the latest color matching technology and create a color for you to approve. What's more, you can also change the gloss, or add metallic/mica or textures to the product. Talk to your IFS architectural representative for more information on our exceptional color matching capabilities.

The IFS Architectural Color Matching Service

- Free custom color creation available
- Available in standard polyester, super durable and fluoropolymer technology
- Change the gloss, add metallics or textures
- Industry leading color matching times
- Sample panels available free of charge
- · Small batches available, perfect for prototypes or one off pieces



With any coating, powder or liquid, there are some limitations on what is achievable at the higher levels of exterior durability. Quite simply, the pigments for some shades (for example, bright red) that will offer the durability required for these specifications, are not available. However there is a vast range of colors that are available, and will meet the exterior durability demands of the high level specifications. Similarly, not all gloss levels or metallic effects can be achieved at an AAMA 2605 level. Talk to your IFS architectural advisor for advice.

AAMA Specification	AAMA 2603	AAMA 2604	AAMA 2605
IFS Product	IFS 300SP	IFS 400SD	IFS 500FP
Product chemistry	Standard Polyester	Super Durable Polyester	100% FEVE Fluoropolymer (70% PVDF liquid equivalent)
Warranty*	No warranty	10 year warranty	20 year warranty
*Warranty supplied when applied by an IES Registered Applicator to aluminum			

*Warranty supplied when applied by an IFS Registered Applicator to aluminum.

The IFS architectural range has been used on a vast array of architectural applications, from residential windows and doors, commercial store front and retail interiors, to curtain wall, louvers, scrims and screens on skyscrapers and monumental buildings.

Standard Colors

IFS ARCHITECTURAL SOLIDS




Metallics/Anodics Are Premium options. Additional Cost May Apply. IFS ARCHITECTURAL METALLICS



Classic Platinum FRSL 96595 SRSS 95565



Champagne FRSL 96596 SRSL 95566



Pewter FRSL 96597 SRSL 95567



Light Bronze FRSL 96599 SRSL 95569



Cosmic Gray FRSL 96598 SRSL 95568



Copper Penny FRML 90502 SRML 99043



Stormy Silver FRML 90488 SRML 90489



Gold Nugget FRSL 95571 SRSS 90464



Industrial Bronze FRML 90480 SRML 90482



Fine Texture Black Chrome FRML 90501 SRML 90503



Warm Bronze FRML 90494 SRML 90499



Sunlit Silver FRML 90484 SRML 90487





Timeless Silver FRML 90492 SRML 90493



IFS 500FP codes start with an "F" and meet and exceed the performance requirements of AAMA 2605 IFS 400SD codes start with an "S" and meet and exceed the performance requirements of AAMA 2604

IFS architectural coatings offer a combination of great aesthetics, toughness, durability, cost effectiveness and are the environmentally responsible choice. All of the colors shown on this card are available in AAMA 2603, 2604 and 2605 level products, so no matter what the project demands, we've got you covered.IFS 400SD, our super durable architectural product provides great exterior protection and improved color and gloss retention over a standard polyester product, while IFS 500FP, our world class 100% FEVE offers the ultimate in long term durability, color and gloss retention and scratch resistance. For more information on the strict performance tests that IFS 400SD and IFS 500FP meet and exceed, please talk to your IFS representative.

IFS 500FP codes start with an "F" and meet and exceed the performance requirements of AAMA 2605 IFS 400SD codes start with an "S" and meet and exceed the performance requirements of AAMA 2604



Metallics /Anodics Are Premium options. Additional Cost May Apply.



Anodized Silver FRSL 94542 SRMS 95339



Silver Sparkle FRSS 93652 SRSL 95572



Dark Bronze FRSL 95578 SRSL 95575



Matte Platinum FRML 95458 SRSM 95573



Medium Bronze FRSL 95579 SRSL 95576



Steel Blue FRSL 95577 SRSL 95574

RoofScreen Woodgrain Color Chart



CHESTNUT



CHERRY FLAME



CHERRY



EURO CHERRY



CHERRY HALF FLAME



AMERICAN DOUGLAS



NATIONAL WALNUT



WALNUT FLAT



KNOTTY PINE



Representation of color and grain on chart may differ from physical samples. Please contact us for samples before making final selection.